

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 09/21/2004

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/653,644	09/02/2003	Egon Konigbauer	DT-6612	3383
30377	7590 09/21/2004		EXAMINER	
DAVID TOREN, ESQ.			MASIH, KAREN	
SIDLEY, AUSTIN, BROWN & WOOD, LLP 787 SEVENTH AVENUE			ART UNIT	PAPER NUMBER
NEW YORK,	NY 10019-6018		2837	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
Office Action Commence	10/653,644	KONIGBAUER, EGON			
Office Action Summary	Examiner	Art Unit			
	karen masih	2837			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be ting within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on	_•				
2a) ☐ This action is FINAL . 2b) ☑ This	action is non-final.				
,—	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.				
Disposition of Claims					
- 4)⊠ Claim(s) <u>1-4</u> is/are pending in the application.					
	4a) Of the above claim(s) is/are withdrawn from consideration.				
5) Claim(s) is/are allowed.					
6)⊠ Claim(s) <u>1-4</u> is/are rejected.					
7) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and/or	r election requirement.				
Application Papers					
9) The specification is objected to by the Examine	r.				
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.					
Applicant may not request that any objection to the	drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).			
Replacement drawing sheet(s) including the correcti	ion is required if the drawing(s) is ob	jected to. See 37 CFR 1.121(d).			
11)☐ The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.			
Priority under 35 U.S.C. § 119					
12)⊠ Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(a))-(d) or (f).			
a)⊠ All b)□ Some * c)□ None of:					
1.⊠ Certified copies of the priority documents have been received.					
2. Certified copies of the priority documents		on No			
3. Copies of the certified copies of the prior	ity documents have been receive	ed in this National Stage			
application from the International Bureau	(PCT Rule 17.2(a)).				
* See the attached detailed Office action for a list	•	Karen Masih Primary Examiner			
Attachment(s)		· ····································			
1) Notice of References Cited (PTO-892)	4) Interview Summary				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)	·	atent Application (PTO-152)			
Paper No(s)/Mail Date	6)				

Application/Control Number: 10/653,644

Art Unit: 2837

1. The drawings are objected to because fig 1 box 4 needs to be labeled descriptively. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Page 2

- 2. Claim 4 is objected to because of the following informalities: $T_{\mathcal{E}}$ should not be in parenthesis, only reference numbers should be in parenthesis. Appropriate correction is required.
- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Application/Control Number: 10/653,644

Art Unit: 2837

4.

Page 3

Germanton et al in view of, Haley et al, Garrett and Scholl et al.

Germanton et al discloses electrical hand tool machine having a motor switch formed as

Claims 1-4 are rejected under 35 U.S.C. 103(a) as being unpatentable over

a button, and having a soft start input, see fig 1 and col 5 lines 40-50 and col 6 lines

20-30, and col 7 lines 20-35. Germanton et al lacks disclosing current regulator, branch

current with timing capacitor with discharge time of range .1-1.0 second, current

direction dependent element disposed between soft start input and capacitor. Haley et

al discloses current regulator, see col 4 lines 40-65 and col 5 lines 1-10. Garrett

discloses branch current with timing capacitor arranged with resistor in parallel with

current direction dependent element, see fig 2 #62,64, and #60 and col 3 lines 25-30.

Scholl et al discloses discharge time of 1 second, see col 11 lines 70-72. It would have

been obvious to one of ordinary skill in the art to combine the hand tool of Germanton et

al with the current regulator of Haley et al and timing capacitor with resistor and diode of

Garrett and discharge time constant of Sholl et al for limiting current drawn thereby, for

safety and prevent flutter.

5. The prior art made of record and not relied upon is considered pertinent to

applicant's disclosure. Coulmance and Booth et al disclose timing capacitor with

resistors in parallel with diode.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to karen masih whose telephone number is 571-272-2068.

The examiner can normally be reached on m-f 8.30-6.

Art Unit: 2837

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, david martin can be reached on 571-272-2800 ext 41. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

karen masih

Primary Examiner

Page 4

Art Unit 2837

KM